

3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273

info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #SC-000005

## TPM01221825

Sample ID: 2111PSI0110.13711 Strain: N/A Matrix: Ingestible Type: Tincture

METRC Batch ID:

METRC Sample:

Produced: Date Received: 11/08/2021 Completed: 11/11/2021 Sample Size: -; Batch: -

**Pure Biologix** Lic.# 977 Irvin St Plymouth, MI 48170

13711

Vasco WHIL

E PSI LABS

### **Cannabinoids**

## nd

# 1180.00

Total THC (mg/unit) CBD (mg/unit)

Testing Method: HPLC-DAD / SOP - PSIMTDA Date Tested: 11/11/2021 1 Unit = 30 mL, 27.36g

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	12.88	ND	ND
∆9-THC	12.88	ND	ND
∆8-THC	12.88	ND	ND
CBDa	12.88	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBD	12.88	1180.00	43.13
CBN	12.88	ND	ND
Total		1180.00	43.13

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation, ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

#### Safety

Foreign Matter

Visual Exam / SOP - PSIMTDF

Pass











This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

1 of 2



3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #SC-000005 2 of 2

Pass

## TPM01221825

Sample ID: 2111PSI0110.13711 Strain: N/A Matrix: Ingestible Type: Tincture METRC Batch ID:

METRC Sample:

Produced: Date Received: 11/08/2021 Completed: 11/11/2021 Sample Size: - ; Batch: - Pure Biologix Lic. # 977 Irvin St Plymouth, MI 48170


### **Foreign Matter**





Date Tested: Testing Method: Visual Exam / SOP - PSIMTDF









This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

CSO